Government of Kerala കേരള സർക്കാർ 2012



Reg. No. രജി. നമ്പർ KL/TV(N)/12/12-14

KERALA GAZETTE കേരള ഗസററ്

PUBLISHED BY AUTHORITY

ആധികാരികമായി പ്രസിദ്ധപ്പെടുത്തുന്നത്

Vol. LVII വാലും 57

THIRUVANANTHAPURAM, TUESDAY തിരുവനന്തപുരം, ചൊവ്വ

2012 മാർച്ച് 13 23rd Phalguna 19

23rd Phalguna 1933 1933 ഫാൽഗുനം 23

13th March 2012

No. നമ്പർ 11

PART III Stores Purchase

Indigenous Medicine Department

SHORT TENDER NOTICE

No. S1/1084/2012/AVC.

25th February 2012.

Sealed competitive tenders are invited for the supply and Installation of the Public Address System to the Collegiate Departments of Government Ayurveda College, Thiruvananthapuram for the year 2011-12.

Tenders should be superscribed "Supply and Installation of Public Address System" addressed to the Principal, Govt. Ayurveda College, Thiruvananthapuram. The last date of the receipt of tenders will be at 3 p. m. on 26-3-2012. The late tenders will not be accepted. The tenders will be opened at 3.30 p. m. on 26-3-2012 in the presence of such of the tenderers or their authorized representatives who may be present at that time.

Intending tenderers may on application to the Principal, Govt. Ayurveda College, Thiruvananthapuram to obtain tender forms on which tenders should be submitted along with the sample of the materials to be supplied. Application for the tender form should be accompanied by cash remittance of `416 (cost of tender form `400 + VAT `16) which is the price fixed for a form and which is not refundable under any

circumstances. Tender forms are not transferable. Sale of tender forms will be closed at 1 p. m. on 26-3-2012. Cheques, Postal Orders etc. will not be accepted towards the cost of forms. Those who wish to purchase tender forms by post shall send an additional amount of > 50 by money order to cover postal charges. Duplicate tender forms, if required will be issued at > 416 (cost of tender form > 200+VAT > 8) per copy.

Intending tenderers should deposit an amount of 1% of the total cost quoted rate as Earnest Money Deposit by Demand Draft in favour of the Principal, Government Ayurveda College, Thiruvananthapuram together with an agreement in Kerala Stamp Paper worth ` 100. The rate quoted shall remain firm for one year from date of acceptance of the tender. The Principal, Ayurveda College, Thiruvananthapuram will have powers to postpone/cancel the tender.

തിരുവനന്തപുരം ഗവൺമെന്റ് ആയുർവ്വേദ കോളേജ് ആശുപത്രി വിഭാഗങ്ങളിൽ 2011–12 വർഷത്തിലേക്ക് ചുവടെ കാണിച്ചിരിക്കുന്ന സാധനങ്ങൾ വിതരണം ചെയ്യാൻ തയ്യാറുള്ള വരിൽനിന്നും മുദ്രവച്ച ദർഘാസുകൾ ക്ഷണിച്ചുകൊള്ളുന്നു.

ഓരോ ദർഘാസുകളും ആയുർവ്വേദ കോളേജ് പ്രിൻസിപ്പാളിന്റെ മേൽവിലാസത്തിൽ പ്രത്യേകം കവറിലാക്കി സീൽ ചെയ്ത് 26–3–2012 ഉച്ചയ്ക്ക് 3 മണി വരെ സപ്ലൈ ചെയ്യുവാനുദ്ദേശിക്കുന്ന സാധനങ്ങളുടെ സാമ്പിൾ സഹിതം സമർപ്പിക്കാവുന്നതാണ്. അന്നുതന്നെ ഉച്ചയ്ക്കുശേഷം 3.30 മണിക്ക് ദർഘാസുകൾ നിയമാനുസരണം തുറക്കുന്നതായിരിക്കും. യാതൊരു കാരണവശാലും ദർഘാസ് ഫോറങ്ങൾ കൈമാറ്റം ചെയ്യാൻ പാടില്ലാത്തതാകുന്നു. ദർഘാസ് ഫോറങ്ങളുടെ വില്പന 26-3-2012 ഉച്ചയ്ക്ക് 1 മണിക്ക് അവസാനിക്കുന്നതാണ്. ഫോറങ്ങൾ തപാൽമാർഗ്ഗം ആവശ്യമുളളവർ ദർഘാസ് ഫോറത്തിന്റെ വിലയേക്കാൾ ` 50 കൂടുതൽ മണി ഓർഡർ ആയി അയയ്ക്കേണ്ടതാകുന്നു. ദർഘാസിൽ രേഖപ്പെടുത്തിയി രിക്കുന്ന വില നിരക്കുകൾ ദർഘാസ് സ്ഥിരപ്പെടുത്തി നൽകുന്ന തീയതി മുതൽ ഒരു വർഷം വരെയുള്ള കാലയളവിലേക്ക് പ്രാബല്യമുണ്ടായിരിക്കുന്നതാണ്. ഒരു ദർഘാസിന്റെ വില ` 416 (ഡ്യൂപ്ലിക്കേറ്റ് ഫോറത്തിന്റെ വില ` 208).

പൂരിപ്പിച്ച ദർഘാസ് ഫോറത്തിനോടൊപ്പം സാധനങ്ങളുടെ മൊത്തം വിലയുടെ 1% (ഒരു ശതമാനം) നിരതദ്രവ്യത്തിന് തിരുവനന്തപുരം ആയുർവ്വേദ കോളേജ് പ്രിൻസിപ്പാളിന്റെ പേരിൽ എടുത്ത ഡ്രാഫ്റ്റും ` 100-ന്റെ കേരള സംസ്ഥാന മുദ്രപത്രത്തിൽ രേഖപ്പെടുത്തിയ ഒരു എഗ്രിമെന്റും ഹാജരാക്കേ ണ്ടതാണ്. ഏതൊരു ടെണ്ടറും കാരണം കാണിക്കാതെ നിരസിക്കാനോ മാറ്റി വയ്ക്കാനോ ഉള്ള അധികാരം തിരുവനന്തപുരം ആയുർവ്വേദ കോളേജ് പ്രിൻസിപ്പാളിൽ നിക്ഷിപ്തമായിരിക്കും.

LIST OF ITEMS

Sl. No.	Description	Quantity
1	Amplifier 100-130 WRMS for each zone, 6 mic & 2 Aux Input	1
2	UHF wireless Microphone Frequency Response 50-1500Hz, Dyanamic range 100db	1
3	Special purpose wall speaker 60W on 100V	7 4
4	VHF wireless desktop microphone with connectors and accessories	2
5	Low noise cable with EP jack phono jack (5 mtr Cable)	1
6	UHF wireless microphone lapel	1
7	PVC wiring including materials Designing Assembling and integration supervision of input output distribution and networking of item 1 to 7	
8	PA Speaker system (100 watts) input power 100W, configuration 2 way, frequency response 55-200, 000Hz, low frequency speaker 1 \times 12", HF unit 1 \times tweeter 2" \times 5", Dimensions W425 \times H560 \times D358mm	2
9	Mic stand floor mount	1
10	Microphone with 5 meter cable	1
11	PA Audio mixing consoles sterio-9 channel, Power requirements—AC 220–240V [DC:24V $(2\times12V\ \text{car battery})]$ MIC input-62db, line input 42db, frequency response 30Hz–20KHz, output 200m V/IV, Dimensions w483 \times h93 \times d366mm	1